




CAMPBELL SCREEN PREMIUM SERIES PROTECTIVE SECURITY DOOR

CUSTOM DOOR (HEIGHT) GUIDELINES:
 PREMIUM HINGED 4 SIDED = 21.17" RECOMMENDED MIN HEIGHT
 PREMIUM FRENCH 4 SIDED=210.14" RECOMMENDED MAX HEIGHT
CUSTOM DOOR (WIDTH) GUIDELINES:
 PREMIUM HINGED 4 SIDED =13.29" RECOMMENDED MIN WIDTH
 PREMIUM FRENCH 4 SIDED = 80.22" RECOMMENDED MAX WIDTH

OPTIONS:
 MID-RAIL OPTIONS - VERTICAL AND HORIZONTAL (DETAIL 3/1.01)
 INSIDE LEVER OPERATED LOCK
 TRIPLE POINT LOCKS

- COLOR OPTIONS:**
- WHITE
 - BLACK
 - BROWN
 - SAHARA BROWN
 - LIGHT GRAY
 - SILVER
 - ALMOND
 - BRONZE
 - SAHARA GRAY
 - CUSTOM




STRUCTURAL DISCLAIMER:
 ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.




PREMIUM PIVOT DOOR - 4 SIDED FRAME (SHOWN RHR & LHR SWING)

DOOR SWING CHART




"INDUSTRY STANDARD" DOOR STYLES AND SWINGING DOOR PATTERNS

THERE ARE THREE BASIC DOOR STYLES TYPICALLY REFERRED TO THROUGHOUT THE INDUSTRY APPLICABLE TO THE CAMPBELL SECURITY SCREEN PROTECTIVE SECURITY SCREEN DOOR SYSTEMS. BY IDENTIFYING YOUR BASIC DOOR STYLE AND SWING, IT WILL HELP MAKE CLEAR WHAT YOUR INTENTIONS ARE FOR THE PARTICULAR PROJECT. FOR MORE INFORMATION PLEASE CONTACT US AT (800) 580-9997 OR FAX US AT (714) 375-7131.




① SECTION DETAIL AT HEAD

ARCH REF: N/A 1'-0"=1'-0"



② SECTION DETAIL AT SILL

ARCH REF: N/A 1'-0"=1'-0"




③ SECTION DETAIL AT MIDRAIL - OPTIONAL


ARCH REF: N/A 1'-0"=1'-0"

PREMIUM PIVOT DOOR WITH 4 SIDED FRAME DETAILS





① SECTION DETAIL AT JAMB
 ARCH REF: N/A 1'-0"=1'-0"



② SECTION DETAIL AT JAMB
 ARCH REF: N/A 1'-0"=1'-0"

